

EXHIBIT "A"

-BASIS OF BEARING-
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 25, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 25 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the non-claim wet bed acres of section 25, and being more particularly described as follows:

BEGINNING at the angle point of sections 24 and 25, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 25;

THENCE, upstream along aforesaid mark, S. 44°12' W., 1460.58 feet;

THENCE, S. 46°47' W., 465.30 feet;

THENCE, S. 49°59' W., 504.90 feet to the angle point of sections 25 and 26, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°03' W., along the line between sections 25 and 26, 489.06 feet to the 1952 left bank;

THENCE, S. 72°30' E., along the aforesaid 1952 left bank, 773.32 feet to the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 25;

THENCE, downstream along aforesaid mark, N. 55°10' E., 18.41 feet;

THENCE, N. 50°22' E., 293.70 feet;

THENCE, N. 46°42' E., 900.90 feet;

THENCE, N. 43°15' E., 875.82 feet;

THENCE, N. 38°45' E., 659.34 feet;

THENCE, N. 39°23' E., 564.30 feet to the angle point of sections 24 and 25, at the digitized 2003 right bank ordinary high-water mark;



THENCE, N. 89°39' W., along the line between sections 24 and 25, 1260.60 feet to the **POINT OF BEGINNING**, containing +/- 71.13 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the non-claim wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566




LOCATION MAP


SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE NON-CLAIM WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.



DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021



David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 25
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.

NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT

CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP

THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL

PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING

THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION

FIELD WORK PERFORMED: NONE

DATE OF LAST SITE VISIT: NONE

EXHIBIT COMPLETED: 3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 25, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

LEGAL DESCRIPTION:

A parcel of land situated in section 25 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the non-claim wet bed acres of section 25, and being more particularly described as follows:

BEGINNING at the angle point of sections 24 and 25, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 25;

THENCE, upstream along aforesaid mark, S. 44°12' W., 1460.58 feet;

THENCE, S. 46°47' W., 465.30 feet;

THENCE, S. 49°59' W., 504.90 feet to the angle point of sections 25 and 26, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°03' W., along the line between sections 25 and 26, 489.06 feet to the 1952 left bank;

THENCE, S. 72°30' E., along the aforesaid 1952 left bank, 773.32 feet to the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 25;

THENCE, downstream along aforesaid mark, N. 55°10' E., 18.41 feet;

THENCE, N. 50°22' E., 293.70 feet;

THENCE, N. 46°42' E., 900.90 feet;

THENCE, N. 43°15' E., 875.82 feet;

THENCE, N. 38°45' E., 659.34 feet;

THENCE, N. 39°23' E., 564.30 feet to the angle point of sections 24 and 25, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 89°39' W., along the line between sections 24 and 25, 1260.60 feet to the **POINT OF BEGINNING**, containing +/- 71.13 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the non-claim wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566

David L. Page Jr. 3-30-21
DAVID L. PAGE, JR. P.L.S. #1566 DATE SIGNED



LEGAL DESCRIPTION:

A parcel of land situated in section 25 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 25, and being more particularly described as follows:

BEGINNING at the angle point of sections 25 and 26, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 25;

THENCE, downstream along the aforesaid mark, N.52°04' E., 512.82 feet;

THENCE, N.55°10' E., 406.63 feet to the 1952 left bank at the digitized 2003 right bank ordinary high-water mark;

THENCE, , N.72°30' W., along the aforesaid 1952 left bank, 773.32 feet to the line between sections 25 and 26 at the 1952 left bank;

THENCE, S. 00°03' W., along the line between sections 25 and 26, 780.12 feet to the **POINT OF BEGINNING**, containing +/- 6.48 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566

David L. Page Jr.
DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



EXHIBIT "A"

-BASIS OF BEARING-
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 26, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 26
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
PORTIONS OF THIS PLAT ARE IN COLOR, PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE


SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 26, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21



LEGAL DESCRIPTION:

A parcel of land situated in section 26 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the non-claim wet bed acres of section 26, and being more particularly described as follows:

BEGINNING at the angle point of sections 25 and 26, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 25;

THENCE, upstream along the aforesaid mark, S. 49°59' W., 12.54 feet;

THENCE, S. 52°27' W., 556.314 feet to the 1952 left bank at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 72°30' E., along the aforesaid 1952 left bank, 472.032 feet to the line between sections 25 and 26 at the 1952 left bank;

THENCE, N. 00°03' E., along the line between sections 25 and 26, 489.06 feet to the **POINT OF BEGINNING**, containing +/- 2.52 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the non-claim wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566

SURVEYOR'S SPECIAL NOTE:


1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE NON-CLAIM WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND

These standard symbols may be found in the drawing.

- CALCULATED AREA LIMITS
- ▲ CALCULATED CORNER



LOCATION MAP

LEGAL DESCRIPTION:

A parcel of land situated in section 26 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the non-claim wet bed acres of section 26, and being more particularly described as follows:

BEGINNING at the angle point of sections 25 and 26, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 25;

THENCE, upstream along the aforesaid mark, S. 49°59' W., 12.54 feet;

THENCE, S. 52°27' W., 556.314 feet to the 1952 left bank at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 72°30' E., along the aforesaid 1952 left bank, 472.032 feet to the line between sections 25 and 26 at the 1952 left bank;

THENCE, N. 00°03' E., along the line between sections 25 and 26, 489.06 feet to the **POINT OF BEGINNING**, containing +/- 2.52 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the non-claim wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566

David L. Page Jr. 3-30-21
DAVID L. PAGE, JR. P.L.S. #1566 DATE SIGNED



EXHIBIT "A"

~BASIS OF BEARING~
As shown on the official BLM plat, approved October 8, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 26, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 26 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 26, and being more particularly described as follows:

BEGINNING at the angle point of sections 26 and 27, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 26;

THENCE, downstream along aforesaid mark, N. 84°52' E., 99.66 feet;

THENCE, N. 79°13' E., 1093.62 feet;

THENCE, S. 76°42' E., 155.76 feet;

THENCE, N. 78°43' E., 538.56 feet;

THENCE, N. 66°48' E., 502.92 feet;

THENCE, N. 20°29' E., 128.70 feet;

THENCE, N. 68°52' E., 451.44 feet;

THENCE, N. 65°48' E., 522.06 feet;

THENCE, N. 62°39' E., 421.74 feet;

THENCE, N. 88°18' E., 329.34 feet;

THENCE, N. 60°37' E., 709.50 feet;

THENCE, N. 24°51' E., 323.40 feet;

THENCE, N. 57°29' E., 669.24 feet;

THENCE, N. 52°04' E., 9.24 feet to the angle point of sections 25 and 26 at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°03' E., along the line between sections 25 and 26, 780.12 feet to the 1952 left bank;

THENCE, N. 72°30' W., along the 1952 left bank, 472.032 feet to the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 26;

THENCE, upstream along aforesaid mark, S. 52°27' W., 50.886 feet;

THENCE, S. 56°29' W., 760.98 feet;

THENCE, S. 57°56' W., 270.60 feet;

THENCE, S. 57°15' W., 229.68 feet;

THENCE, S. 62°06' W., 850.08 feet;

THENCE, N. 53°07' W., 165.66 feet;

THENCE, N. 76°20' W., 86.46 feet;

THENCE, S. 57°43' W., 160.38 feet;

THENCE, S. 57°04' W., 340.56 feet;

THENCE, S. 68°03' W., 211.20 feet;

THENCE, S. 43°35' W., 172.92 feet;

THENCE, S. 57°04' W., 153.12 feet;

THENCE, S. 72°48' W., 167.64 feet;

THENCE, S. 72°48' W., 420.42 feet;

THENCE, S. 64°26' W., 393.36 feet;

THENCE, N. 72°09' W., 102.96 feet;

THENCE, S. 71°31' W., 55.44 feet;

THENCE, S. 07°51' W., 85.80 feet;

THENCE, S. 67°19' W., 116.82 feet;

THENCE, S. 79°50' W., 436.26 feet;

THENCE, N. 56°26' W., 90.42 feet;

THENCE, S. 81°12' W., 132.66 feet;

THENCE, N. 69°39' W., 89.76 feet to the angle point of sections 26 and 27 at the digitized 2003 left bank ordinary high-water mark;


THENCE, S. 00°03' W., along the line between sections 26 and 27, 1079.76 feet to the **POINT OF BEGINNING**, containing +/- 143.69 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 8, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 8, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



C. 27
ed on
No. 4

LEGEND

These standard symbols may be found in the drawing.


- CALCULATED AREA LIMITS
- ▲ CALCULATED CORNER



SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 8, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.



LOCATION MAP



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION

SECTION 26
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

- SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
- NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
- CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
- THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
- PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
- THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION

FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 26, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

LEGAL DESCRIPTION:

A parcel of land situated in section 26 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 26, and being more particularly described as follows:

BEGINNING at the angle point of sections 26 and 27, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 26;

THENCE, downstream along aforesaid mark, N. 84°52' E., 99.66 feet;

THENCE, N. 79°13' E., 1093.62 feet;

THENCE, S. 76°42' E., 155.76 feet;

THENCE, N. 78°43' E., 538.56 feet;

THENCE, N. 66°48' E., 502.92 feet;

THENCE, N. 20°29' E., 128.70 feet;

THENCE, N. 68°52' E., 451.44 feet;

THENCE, N. 65°48' E., 522.06 feet;

THENCE, N. 62°39' E., 421.74 feet;

THENCE, N. 88°18' E., 329.34 feet;

THENCE, N. 60°37' E., 709.50 feet;

THENCE, N. 24°51' E., 323.40 feet;

THENCE, N. 57°29' E., 669.24 feet;

THENCE, N. 52°04' E., 9.24 feet to the angle point of sections 25 and 26 at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°03' E., along the line between sections 25 and 26, 780.12 feet to the 1952 left bank;

THENCE, N. 72°30' W., along the 1952 left bank, 472.032 feet to the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 26;

THENCE, upstream along aforesaid mark, S. 52°27' W., 50.886 feet;

THENCE, S. 56°29' W., 760.98 feet;

THENCE, S. 57°56' W., 270.60 feet;

THENCE, S. 57°15' W., 229.68 feet;

THENCE, S. 62°06' W., 850.08 feet;

THENCE, N. 53°07' W., 165.66 feet;

THENCE, N. 76°20' W., 86.46 feet;

THENCE, S. 57°43' W., 160.38 feet;

THENCE, S. 57°04' W., 340.56 feet;

THENCE, S. 68°03' W., 211.20 feet;

THENCE, S. 43°35' W., 172.92 feet;

THENCE, S. 57°04' W., 153.12 feet;

THENCE, S. 72°48' W., 167.64 feet;

THENCE, S. 72°48' W., 420.42 feet;

THENCE, S. 64°26' W., 393.36 feet;

THENCE, N. 72°09' W., 102.96 feet;

THENCE, S. 71°31' W., 55.44 feet;

THENCE, S. 07°51' W., 85.80 feet;

THENCE, S. 67°19' W., 116.82 feet;

THENCE, S. 79°50' W., 436.26 feet;

THENCE, N. 56°26' W., 90.42 feet;

THENCE, S. 81°12' W., 132.66 feet;

THENCE, N. 69°39' W., 89.76 feet to the angle point of sections 26 and 27 at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°03' W., along the line between sections 26 and 27, 1079.76 feet to the **POINT OF BEGINNING**, containing +/- 143.69 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 8, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 8, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



EXHIBIT "A"

~BASIS OF BEARING~
As shown on the official BLM plat, approved October 8, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 26, TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 26 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 26, and being more particularly described as follows:

BEGINNING at the angle point of sections 26 and 27, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 26;

THENCE, downstream along aforesaid mark, N. 78°20' E., 58.74 feet;

THENCE, N. 72°37' E., 351.12 feet;

THENCE, N. 71°40' E., 457.38 feet;

THENCE, S. 42°16' W., across the Cherokee Chute, 273.24 feet to digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, upstream along said mark in section 26;

THENCE, upstream along aforesaid mark, S. 89°07' W., 137.28 feet;

THENCE, S. 52°15' W., 124.74 feet;

THENCE, S. 89°07' W., 99.66 feet;

THENCE, S. 79°39' W., 151.80 feet;

THENCE, S. 51°04' W., 203.28 feet to the angle point of sections 26 and 27 at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;


THENCE, N. 00°03' E., along the line between sections 26 and 27, 176.88 feet to the **POINT OF BEGINNING**, containing +/- 2.07 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 8, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 8, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



SURVEYOR'S SPECIAL NOTE:


1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 8, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND

These standard symbols may be found in the drawing.

- CALCULATED AREA LIMITS
- ▲ CALCULATED CORNER



LOCATION MAP



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 26
TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 26, TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

LEGAL DESCRIPTION:

A parcel of land situated in section 26 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 26, and being more particularly described as follows:

BEGINNING at the angle point of sections 26 and 27, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 26;

THENCE, downstream along aforesaid mark, N. 78°20' E., 58.74 feet;

THENCE, N. 72°37' E., 351.12 feet;

THENCE, N. 71°40' E., 457.38 feet;

THENCE, S. 42°16' W., across the Cherokee Chute, 273.24 feet to digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, upstream along said mark in section 26;

THENCE, upstream along aforesaid mark, S. 89°07' W., 137.28 feet;

THENCE, S. 52°15' W., 124.74 feet;

THENCE, S. 89°07' W., 99.66 feet;

THENCE, S. 79°39' W., 151.80 feet;

THENCE, S. 51°04' W., 203.28 feet to the angle point of sections 26 and 27 at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, N. 00°03' E., along the line between sections 26 and 27, 176.88 feet to the **POINT OF BEGINNING**, containing +/- 2.07 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 8, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 8, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566

David L. Page Jr. 3-30-21
DAVID L. PAGE, JR. P.L.S. #1566 DATE SIGNED



LEGAL DESCRIPTION:

A parcel of land situated in section 22 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 22, and being more particularly described as follows:

BEGINNING at the angle point of sections 22 and 27, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, upstream along said mark in section 22;

THENCE, upstream along aforesaid mark, N.16°55' W., 560.34 feet;

THENCE, N. 16°55' W., 560.34 feet;

THENCE, N. 06°03' W., 305.58 feet;

THENCE, N. 08°50' E., 48.18 feet;

THENCE, N. 08°50' E., 106.92 feet;

THENCE, N. 21°45' E., 387.42 feet;

THENCE, N. 36°45' E., 149.86 feet;

THENCE, N. 22°52' E., 813.78 feet;

THENCE, N. 10°02' E., 314.82 feet;

THENCE, N. 04°45' W., 496.32 feet;

THENCE, N. 20°06' W., 883.74 feet;

THENCE, N. 30°51' W., 813.12 feet;

THENCE, N. 45°43' W., 231.66 feet to the angle point between sections 21 and 22, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, N. 00°44' W., along the line between sections 21 and 22, 356.40 feet to the digitized 2003 left bank ordinary high-water mark, downstream along said mark of the Cherokee Chute;

THENCE, downstream along aforesaid mark, S. 45°52' E., 634.92 feet;

THENCE, S. 31°08' E., 854.70 feet;

THENCE, S. 20°03' E., 726.00 feet;

THENCE, S. 06°29' E., 578.82 feet;

THENCE, S. 09°35' W., 397.32 feet;

THENCE, S. 18°34' W., 825.00 feet;

THENCE, S. 28°53' W., 328.02 feet;

THENCE, S. 04°54' W., 344.52 feet;

THENCE, S. 34°07' W., 71.28 feet;

THENCE, S. 02°26' W., 187.44 feet;

THENCE, S. 00°52' E., 182.16 feet;

THENCE, S. 19°00' E., 436.26 feet to the angle point between sections 22 and 27, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute;

THENCE, N. 89°05' W., along line between sections 22 and 27, 290.4 feet to the **POINT OF BEGINNING**, containing +/- 35.20 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page


DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



EXHIBIT "A"

-BASIS OF BEARING-
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.



LEGAL DESCRIPTION EXHIBIT
SECTION 27, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

A parcel of land situated in section 27 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 27, and being more particularly described as follows:

BEGINNING at the angle point of sections 26 and 27, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 27;

THENCE, upstream along aforesaid mark, N. 69°39' W., 13.20 feet;

THENCE, N. 78°20' W., 106.26 feet;

THENCE, S. 71°25' W., 118.14 feet;

THENCE, S. 78°43' W., 73.26 feet;

THENCE, S. 34°01' W., 44.22 feet;

THENCE, S. 03°55' W., 93.06 feet;

THENCE, N. 88°47' W., 161.04 feet;

THENCE, N. 88°47' W., 668.58 feet;

THENCE, N. 49°57' W., 112.86 feet;

THENCE, S. 70°41' W., 85.14 feet;

THENCE, S. 70°41' W., 19.14 feet;

THENCE, S. 07°54' E., 140.58 feet;

THENCE, N. 76°33' W., 231.66 feet;

THENCE, N. 88°32' W., 144.54 feet;

THENCE, S. 88°37' W., 185.46 feet;

THENCE, N. 68°45' W., 153.78 feet;

THENCE, N. 81°09' W., 324.06 feet;

THENCE, S. 19°16' W., 145.86 feet;

THENCE, N. 70°59' W., 243.54 feet;

THENCE, N. 70°59' W., 597.96 feet;

THENCE, S. 59°22' W., 69.96 feet;

THENCE, S. 85°33' W., 151.14 feet;

THENCE, N. 70°57' W., 405.90 feet;

THENCE, N. 70°50' W., 68.64 feet;

THENCE, N. 39°08' W., 216.48 feet;

THENCE, S. 74°01' W., 184.14 feet;

THENCE, N. 59°57' W., 267.30 feet;

THENCE, N. 69°28' W., 175.56 feet;

THENCE, N. 49°37' W., 161.04 feet;

THENCE, N. 59°57' W., 163.02 feet;

THENCE, N. 13°29' W., 87.78 feet;

THENCE, N. 47°44' W., 38.28 feet;

THENCE, S. 48°16' W., 67.98 feet;

THENCE, N. 76°07' W., 81.84 feet;

THENCE, S. 40°17' W., 64.68 feet;

THENCE, N. 70°17' W., 93.72 feet;

THENCE, N. 09°46' W., 56.10 feet;

THENCE, N. 71°42' W., 84.48 feet;

THENCE, N. 37°30' W., 30.36 feet to the angle point between sections 27 and 28, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°37' W., along the line between sections 27 and 28, 1096.26 feet to the angle point between sections 27 and 28, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 27;

THENCE, downstream along aforesaid mark, S. 68°55' E., 489.06 feet;

THENCE, S. 59°08' E., 171.60 feet;

THENCE, S. 68°48' E., 289.08 feet;

THENCE, S. 73°14' E., 621.06 feet;

THENCE, S. 73°16' E., 257.40 feet;

THENCE, S. 78°19' E., 610.50 feet;

THENCE, S. 80°51' E., 317.46 feet;

THENCE, S. 81°39' E., 714.12 feet;

THENCE, S. 89°40' E., 599.28 feet;


THENCE, N. 88°09' E., 611.16 feet;

THENCE, N. 84°52' E., 698.94 feet;

THENCE, N. 84°52' E., 11.22 feet to the angle point between sections 26 and 27, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°03' E., along the line between sections 26 and 27, 1079.76 feet to the **POINT OF BEGINNING**, containing +/- 120.72 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.




LOCATION MAP



SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.



Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021



David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 27
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.

NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT

CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP

THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL

PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING

THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION

FIELD WORK PERFORMED: NONE

DATE OF LAST SITE VISIT: NONE

EXHIBIT COMPLETED: 3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 27, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

LEGAL DESCRIPTION:

A parcel of land situated in section 27 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 27, and being more particularly described as follows:

BEGINNING at the angle point of sections 26 and 27, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 27;

THENCE, upstream along aforesaid mark, N. 69°39' W., 13.20 feet;

THENCE, N. 78°20' W., 106.26 feet;

THENCE, S. 71°25' W., 118.14 feet;

THENCE, S. 78°43' W., 73.26 feet;

THENCE, S. 34°01' W., 44.22 feet;

THENCE, S. 03°55' W., 93.06 feet;

THENCE, N. 88°47' W., 161.04 feet;

THENCE, N. 88°47' W., 668.58 feet;

THENCE, N. 49°57' W., 112.86 feet;

THENCE, S. 70°41' W., 85.14 feet;

THENCE, S. 70°41' W., 19.14 feet;

THENCE, S. 07°54' E., 140.58 feet;

THENCE, N. 76°33' W., 231.66 feet;

THENCE, N. 88°32' W., 144.54 feet;

THENCE, S. 88°37' W., 185.46 feet;

THENCE, N. 68°45' W., 153.78 feet;

THENCE, N. 81°09' W., 324.06 feet;

THENCE, S. 19°16' W., 145.86 feet;

THENCE, N. 70°59' W., 243.54 feet;

THENCE, N. 70°59' W., 597.96 feet;

THENCE, S. 59°22' W., 69.96 feet;

THENCE, S. 85°33' W., 151.14 feet;

THENCE, N. 70°57' W., 405.90 feet;

THENCE, N. 70°50' W., 68.64 feet;

THENCE, N. 39°08' W., 216.48 feet;

THENCE, S. 74°01' W., 184.14 feet;

THENCE, N. 59°57' W., 267.30 feet;

THENCE, N. 69°28' W., 175.56 feet;

THENCE, N. 49°37' W., 161.04 feet;

THENCE, N. 59°57' W., 163.02 feet;

THENCE, N. 13°29' W., 87.78 feet;

THENCE, N. 47°44' W., 38.28 feet;

THENCE, S. 48°16' W., 67.98 feet;

THENCE, N. 76°07' W., 81.84 feet;

THENCE, S. 40°17' W., 64.68 feet;

THENCE, N. 70°17' W., 93.72 feet;

THENCE, N. 09°46' W., 56.10 feet;

THENCE, N. 71°42' W., 84.48 feet;

THENCE, N. 37°30' W., 30.36 feet to the angle point between sections 27 and 28, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°37' W., along the line between sections 27 and 28, 1096.26 feet to the angle point between sections 27 and 28, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 27;

THENCE, downstream along aforesaid mark, S. 68°55' E., 489.06 feet;

THENCE, S. 59°08' E., 171.60 feet;

THENCE, S. 68°48' E., 289.08 feet;

THENCE, S. 73°14' E., 621.06 feet;

THENCE, S. 73°16' E., 257.40 feet;

THENCE, S. 78°19' E., 610.50 feet;

THENCE, S. 80°51' E., 317.46 feet;

THENCE, S. 81°39' E., 714.12 feet;

THENCE, S. 89°40' E., 599.28 feet;

THENCE, N. 88°09' E., 611.16 feet;

THENCE, N. 84°52' E., 698.94 feet;

THENCE, N. 84°52' E., 11.22 feet to the angle point between sections 26 and 27, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°03' E., along the line between sections 26 and 27, 1079.76 feet to the **POINT OF BEGINNING**, containing +/- 120.72 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.


David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



EXHIBIT "A"

~BASIS OF BEARING~
As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.



LEGAL DESCRIPTION:

A parcel of land situated in section 27 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 27, and being more particularly described as follows:

BEGINNING at the angle point of sections 26 and 27, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, upstream along said mark in section 27;

THENCE, upstream along aforesaid mark, S. 51°04' W., 161.01 feet;

THENCE, N. 73°47' W., 169.62 feet;

THENCE, S. 89°07' W., 236.94 feet;

THENCE, N. 76°51' W., 617.10 feet;

THENCE, N. 89°35' W., 549.12 feet;

THENCE, N. 63°20' W., 323.40 feet;

THENCE, N. 77°39' W., 217.80 feet;

THENCE, N. 78°22' W., 114.84 feet;

THENCE, N. 53°19' W., 409.20 feet;

THENCE, N. 65°20' W., 318.12 feet;

THENCE, N. 79°54' W., 186.78 feet;

THENCE, N. 56°37' W., 291.06 feet;

THENCE, N. 84°33' W., 112.86 feet;

THENCE, N. 50°52' W., 407.22 feet;

THENCE, N. 82°59' W., 113.52 feet;

THENCE, S. 48°52' W., 103.62 feet;

THENCE, N. 38°36' W., 380.16 feet;

THENCE, N. 27°28' W., 892.32 feet;

THENCE, N. 15°44' W., 312.18 feet;

THENCE, N. 13°26' W., 254.76 feet;

THENCE, N. 16°55' W., 73.92 feet to the angle point between sections 22 and 27, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, S. 89°05' E., along the line between sections 22 and 27, 290.40 feet to the angle point of sections 22 and 27 at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 27;

THENCE, downstream along aforesaid mark, S. 00°19' E., 329.34 feet;

THENCE, S. 24°24' E., 312.84 feet;

THENCE, S. 00°54' E., 124.74 feet;

THENCE, S. 58°53' E., 117.48 feet;

THENCE, S. 26°59' E., 680.46 feet;

THENCE, S. 45°54' E., 440.88 feet;

THENCE, S. 57°47' E., 342.54 feet;

THENCE, S. 72°05' E., 619.08 feet;

THENCE, S. 55°59' E., 654.06 feet;

THENCE, S. 78°40' E., 765.60 feet;

THENCE, N. 84°15' E., 588.06 feet;

THENCE, S. 76°51' E., 565.62 feet;

THENCE, N. 78°20' E., 207.90 feet to the angle point between sections 26 and 27, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute;

THENCE, S. 00°03' W., along line between sections 26 and 27, 176.88 feet to the **POINT OF BEGINNING**, containing +/- 27.86 acres.


BASIS OF BEARINGS: As shown on the official BLM plat, approved October 8, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 8, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

LEGAL DESCRIPTION EXHIBIT

SECTION 27, TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY, STATE OF OKLAHOMA.




LOCATION MAP



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 27
TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.

NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT

CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP

THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL

PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING

THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 27, TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

SURVEYOR'S SPECIAL NOTE:


1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 8, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND

These standard symbols may be found in the drawing.

- CALCULATED AREA LIMITS
- CALCULATED CORNER



LEGAL DESCRIPTION:

A parcel of land situated in section 27 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 27, and being more particularly described as follows:

BEGINNING at the angle point of sections 26 and 27, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, upstream along said mark in section 27;

THENCE, upstream along aforesaid mark, S. 51°04' W., 161.01 feet;

THENCE, N. 73°47' W., 169.62 feet;

THENCE, S. 89°07' W., 236.94 feet;

THENCE, N. 76°51' W., 617.10 feet;

THENCE, N. 89°35' W., 549.12 feet;

THENCE, N. 63°20' W., 323.40 feet;

THENCE, N. 77°39' W., 217.80 feet;

THENCE, N. 78°22' W., 114.84 feet;

THENCE, N. 53°19' W., 409.20 feet;

THENCE, N. 65°20' W., 318.12 feet;

THENCE, N. 79°54' W., 186.78 feet;

THENCE, N. 56°37' W., 291.06 feet;

THENCE, N. 84°33' W., 112.86 feet;

THENCE, N. 50°52' W., 407.22 feet;

THENCE, N. 82°59' W., 113.52 feet;

THENCE, S. 48°52' W., 103.62 feet;

THENCE, N. 38°36' W., 380.16 feet;

THENCE, N. 27°28' W., 892.32 feet;

THENCE, N. 15°44' W., 312.18 feet;

THENCE, N. 13°26' W., 254.76 feet;

THENCE, N. 16°55' W., 73.92 feet to the angle point between sections 22 and 27, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, S. 89°05' E., along the line between sections 22 and 27, 290.40 feet to the angle point of sections 22 and 27 at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 27;

THENCE, downstream along aforesaid mark, S. 00°19' E., 329.34 feet;

THENCE, S. 24°24' E., 312.84 feet;

THENCE, S. 00°54' E., 124.74 feet;

THENCE, S. 58°53' E., 117.48 feet;

THENCE, S. 26°59' E., 680.46 feet;

THENCE, S. 45°54' E., 440.88 feet;

THENCE, S. 57°47' E., 342.54 feet;

THENCE, S. 72°05' E., 619.08 feet;

THENCE, S. 55°59' E., 654.06 feet;

THENCE, S. 78°40' E., 765.60 feet;

THENCE, N. 84°15' E., 588.06 feet;

THENCE, S. 76°51' E., 565.62 feet;

THENCE, N. 78°20' E., 207.90 feet to the angle point between sections 26 and 27, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute;

THENCE, S. 00°03' W., along line between sections 26 and 27, 176.88 feet to the **POINT OF BEGINNING**, containing +/- 27.86 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 8, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 8, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr.
DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



EXHIBIT "A"

-BASIS OF BEARING-
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 28, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 28
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE


SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 28, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21



+/- 139.67 Acres

LEGEND

- CALCULATED AREA LIMITS
- CALCULATED CORNER



SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGAL DESCRIPTION:

A parcel of land situated in section 28 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 28, and being more particularly described as follows:

BEGINNING at the angle point of sections 27 and 28, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 28;

THENCE, upstream along aforesaid mark, N. 37°30' W., 27.06 feet;

THENCE, N. 37°30' W., 543.18 feet;

THENCE, S. 10°09' W., 189.42 feet;

THENCE, N. 29°15' W., 268.62 feet;

THENCE, N. 08°37' E., 172.92 feet;

THENCE, N. 24°48' W., 279.18 feet;

THENCE, N. 51°16' W., 341.88 feet;

THENCE, S. 40°50' W., 597.96 feet;

THENCE, N. 41°37' W., 208.56 feet;

THENCE, N. 26°13' W., 1221.66 feet;

THENCE, N. 26°13' W., 568.26 feet;

THENCE, N. 36°06' W., 598.62 feet;

THENCE, N. 27°16' E., 127.38 feet;

THENCE, N. 60°45' E., 119.46 feet;

THENCE, N. 51°07' E., 95.04 feet;

THENCE, N. 49°12' E., 113.52 feet;

THENCE, N. 38°12' E., 71.94 feet to the angle point between sections 21 and 28, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 89°31' W., along the line between sections 21 and 28, 460.68 feet to the 1897 meander corner between sections 21 and 28;

THENCE, N. 89°39' W., along the line between sections 21 and 28, 1889.58 feet to the angle point between sections 21 and 28, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 28;

THENCE, downstream along aforesaid mark, S. 44°05' E., 765.60 feet;

THENCE, S. 35°41' E., 390.72 feet;

THENCE, S. 42°07' E., 94.38 feet;

THENCE, S. 53°48' E., 58.74 feet;

THENCE, S. 13°17' W., 18.48 feet;

THENCE, S. 22°48' E., 13.86 feet;

THENCE, S. 55°35' E., 40.92 feet;

THENCE, S. 69°04' E., 23.10 feet;

THENCE, N. 89°12' E., 40.26 feet;

THENCE, S. 41°10' E., 119.46 feet;

THENCE, N. 55°22' E., 67.98 feet;

THENCE, S. 34°42' E., 730.62 feet;

THENCE, S. 65°19' E., 23.10 feet;

THENCE, S. 37°27' E., 148.50 feet;

THENCE, S. 34°21' E., 27.06 feet;

THENCE, S. 28°46' E., 59.40 feet;

THENCE, S. 20°05' E., 25.74 feet;

THENCE, S. 13°02' E., 51.48 feet;

THENCE, S. 16°28' E., 42.24 feet;

THENCE, S. 17°08' E., 151.80 feet;

THENCE, S. 35°01' E., 135.30 feet;

THENCE, S. 35°01' E., 222.42 feet;

THENCE, S. 44°44' E., 269.94 feet;

THENCE, S. 44°44' E., 273.90 feet;

THENCE, S. 48°22' E., 296.34 feet;

THENCE, S. 53°04' E., 48.84 feet;

THENCE, S. 44°12' E., 309.54 feet;

THENCE, S. 53°15' E., 468.60 feet;

THENCE, S. 51°37' E., 403.26 feet;

THENCE, S. 57°07' E., 290.40 feet;

THENCE, S. 60°17' E., 862.62 feet;



THENCE, S. 66°55' E., 15.84 feet to the angle point between sections 27 and 28, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°37' E., along the line between sections 27 and 28, 1096.26 feet to the **POINT OF BEGINNING**, containing +/- 139.67 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.



LOCATION MAP

LEGAL DESCRIPTION:

A parcel of land situated in section 28 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 28, and being more particularly described as follows:

BEGINNING at the angle point of sections 27 and 28, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 28;

THENCE, upstream along aforesaid mark, N. 37°30' W., 27.06 feet;

THENCE, N. 37°30' W., 543.18 feet;

THENCE, S. 10°09' W., 189.42 feet;

THENCE, N. 29°15' W., 268.62 feet;

THENCE, N. 08°37' E., 172.92 feet;

THENCE, N. 24°48' W., 279.18 feet;

THENCE, N. 51°16' W., 341.88 feet;

THENCE, S. 40°50' W., 597.96 feet;

THENCE, N. 41°37' W., 208.56 feet;

THENCE, N. 26°13' W., 1221.66 feet;

THENCE, N. 26°13' W., 568.26 feet;

THENCE, N. 36°06' W., 598.62 feet;

THENCE, N. 27°16' E., 127.38 feet;

THENCE, N. 60°45' E., 119.46 feet;

THENCE, N. 51°07' E., 95.04 feet;

THENCE, N. 49°12' E., 113.52 feet;

THENCE, N. 38°12' E., 71.94 feet to the angle point between sections 21 and 28, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 89°31' W., along the line between sections 21 and 28, 460.68 feet to the 1897 meander corner between sections 21 and 28;

THENCE, N. 89°39' W., along the line between sections 21 and 28, 1889.58 feet to the angle point between sections 21 and 28, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 28;

THENCE, downstream along aforesaid mark, S. 44°05' E., 765.60 feet;

THENCE, S. 35°41' E., 390.72 feet;

THENCE, S. 42°07' E., 94.38 feet;

THENCE, S. 53°48' E., 58.74 feet;

THENCE, S. 13°17' W., 18.48 feet;

THENCE, S. 22°48' E., 13.86 feet;

THENCE, S. 55°35' E., 40.92 feet;

THENCE, S. 69°04' E., 23.10 feet;

THENCE, N. 89°12' E., 40.26 feet;

THENCE, S. 41°10' E., 119.46 feet;

THENCE, N. 55°22' E., 67.98 feet;

THENCE, S. 34°42' E., 730.62 feet;

THENCE, S. 65°19' E., 23.10 feet;

THENCE, S. 37°27' E., 148.50 feet;

THENCE, S. 34°21' E., 27.06 feet;

THENCE, S. 28°46' E., 59.40 feet;

THENCE, S. 20°05' E., 25.74 feet;

THENCE, S. 13°02' E., 51.48 feet;

THENCE, S. 16°28' E., 42.24 feet;

THENCE, S. 17°08' E., 151.80 feet;

THENCE, S. 35°01' E., 135.30 feet;

THENCE, S. 35°01' E., 222.42 feet;

THENCE, S. 44°44' E., 269.94 feet;

THENCE, S. 44°44' E., 273.90 feet;

THENCE, S. 48°22' E., 296.34 feet;

THENCE, S. 53°04' E., 48.84 feet;

THENCE, S. 44°12' E., 309.54 feet;

THENCE, S. 53°15' E., 468.60 feet;

THENCE, S. 51°37' E., 403.26 feet;

THENCE, S. 57°07' E., 290.40 feet;

THENCE, S. 60°17' E., 862.62 feet;

THENCE, S. 66°55' E., 15.84 feet to the angle point between sections 27 and 28, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°37' E., along the line between sections 27 and 28, 1096.26 feet to the **POINT OF BEGINNING**, containing +/- 139.67 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.


David L. Page, Jr.
DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



EXHIBIT "A"

~BASIS OF BEARING~
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.



SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND

These standard symbols may be found in the drawing.

- CALCULATED AREA LIMITS
- CALCULATED CORNER



LEGAL DESCRIPTION EXHIBIT

SECTION 21, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 21 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 21, and being more particularly described as follows:


- BEGINNING** at the angle point of sections 21 and 28, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 21;
- THENCE**, upstream along aforesaid mark, N.38°12' E., 31.02 feet;
- THENCE**, N. 27°54' E., 151.14 feet;
- THENCE**, N. 21°30' E., 86.46 feet;
- THENCE**, N. 08°30' E., 173.58 feet;
- THENCE**, N. 04°40' W., 182.16 feet;
- THENCE**, N. 10°34' W., 169.62 feet;
- THENCE**, N. 77°19' W., 81.18 feet;
- THENCE**, S. 53°56' W., 147.84 feet;
- THENCE**, S. 76°27' W., 206.58 feet;
- THENCE**, N. 41°20' W., 462.00 feet;
- THENCE**, S. 80°04' W., 199.98 feet;
- THENCE**, N. 65°12' W., 102.30 feet;
- THENCE**, S. 47°57' W., 137.28 feet;
- THENCE**, N. 68°25' W., 176.22 feet;
- THENCE**, N. 50°23' W., 415.14 feet;
- THENCE**, N. 41°49' W., 359.70 feet;
- THENCE**, N. 46°25' W., 165.00 feet;
- THENCE**, N. 22°39' W., 153.12 feet;
- THENCE**, S. 44°51' W., 133.98 feet;
- THENCE**, N. 39°22' W., 423.06 feet;
- THENCE**, N. 54°25' W., 463.32 feet;
- THENCE**, N. 07°59' W., 120.12 feet;
- THENCE**, N. 24°14' W., 66.66 feet;
- THENCE**, N. 55°04' W., 88.44 feet;
- THENCE**, S. 67°16' W., 77.22 feet;
- THENCE**, N. 38°44' W., 365.64 feet;
- THENCE**, N. 53°12' W., 91.08 feet to the angle point between sections 20 and 21, at the digitized 2003 left bank ordinary high-water mark;
- THENCE**, S. 00°31' E., along the line between sections 20 and 21, 2019.60 feet to the angle point between sections 20 and 21, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 21;
- THENCE**, downstream along aforesaid mark, S. 44°27' E., 1080.42 feet;
- THENCE**, S. 44°05' E., 1.98 feet to the angle point between sections 21 and 28, at the digitized 2003 right bank ordinary high-water mark;
- THENCE**, S. 89°39' E., along the line between sections 21 and 28, 1889.58 feet to the 1897 meander corner of sections 21 and 28;
- THENCE**, N. 89°31' E., along the line between sections 21 and 28, 460.49 feet to the **POINT OF BEGINNING**, containing +/- 101.30 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



LOCATION MAP



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 21
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

- SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
- NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
- CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
- THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
- PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
- THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	3-30-21
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 21, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

LEGAL DESCRIPTION:

A parcel of land situated in section 21 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 21, and being more particularly described as follows:

BEGINNING at the angle point of sections 21 and 28, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 21;

THENCE, upstream along aforesaid mark, N.38°12' E.,31.02 feet;

THENCE, N. 27°54' E., 151.14 feet;

THENCE, N. 21°30' E., 86.46 feet;

THENCE, N. 08°30' E., 173.58 feet;

THENCE, N. 04°40' W., 182.16 feet;

THENCE, N. 10°34' W., 169.62 feet;

THENCE, N. 77°19' W., 81.18 feet;

THENCE, S. 53°56' W., 147.84 feet;

THENCE, S. 76°27' W., 206.58 feet;

THENCE, N. 41°20' W., 462.00 feet;

THENCE, S. 80°04' W., 199.98 feet;

THENCE, N. 65°12' W., 102.30 feet;

THENCE, S. 47°57' W., 137.28 feet;

THENCE, N. 68°25' W., 176.22 feet;

THENCE, N. 50°23' W., 415.14 feet;

THENCE, N. 41°49' W., 359.70 feet;

THENCE, N. 46°25' W., 165.00 feet;

THENCE, N. 22°39' W., 153.12 feet;

THENCE, S. 44°51' W., 133.98 feet;

THENCE, N. 39°22' W., 423.06 feet;

THENCE, N. 54°25' W., 463.32 feet;

THENCE, N. 07°59' W., 120.12 feet;

THENCE, N. 24°14' W., 66.66 feet;

THENCE, N. 55°04' W., 88.44 feet;

THENCE, S. 67°16' W., 77.22 feet;

THENCE, N. 38°44' W., 365.64 feet;

THENCE, N. 53°12' W., 91.08 feet to the angle point between sections 20 and 21, at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°31' E., along the line between sections 20 and 21, 2019.60 feet to the angle point between sections 20 and 21, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 21;

THENCE, downstream along aforesaid mark, S. 44°27' E., 1080.42 feet;

THENCE, S. 44°05' E., 1.98 feet to the angle point between sections 21 and 28, at the digitized 2003 right bank ordinary high-water mark;

THENCE, S. 89°39' E., along the line between sections 21 and 28, 1889.58 feet to the 1897 meander corner of sections 21 and 28;

THENCE, N. 89°31' E., along the line between sections 21 and 28, 460.49 feet to the **POINT OF BEGINNING** , containing +/- 101.30 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page

DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



EXHIBIT "A"

-BASIS OF BEARING-
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 21, TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY, STATE OF OKLAHOMA.



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal




3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 21
TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



LEGAL DESCRIPTION:

A parcel of land situated in section 21 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 21, and being more particularly described as follows:

BEGINNING at the angle point of sections 21 and 16, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 21;

THENCE, downstream along aforesaid mark, S. 68°15' E., 186.78 feet;

THENCE, S. 59°42' E., 331.32 feet;

THENCE, S. 45°43' E., 471.24 feet to the angle point between sections 21 and 22, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, N. 00°44' W., along the line between sections 21 and 22, 365.40 feet to the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, upstream along said mark in section 21;

THENCE, upstream along aforesaid mark, N. 45°52' W., 163.02 feet;

THENCE, N. 53°55' W., 161.04 feet to the angle point between sections 16 and 21, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;


THENCE, N. 89°55' W., along line between sections 16 and 21, 545.16 feet to the **POINT OF BEGINNING**, containing +/- 3.65 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



LOCATION MAP

SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND

These standard symbols may be found in the drawing.

- CALCULATED AREA LIMITS
- ▲ CALCULATED CORNER



NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 21, TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

LEGAL DESCRIPTION:

A parcel of land situated in section 21 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 21, and being more particularly described as follows:

BEGINNING at the angle point of sections 21 and 16, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 21;

THENCE, downstream along aforesaid mark, S. 68°15' E., 186.78 feet;

THENCE, S. 59°42' E., 331.32 feet;

THENCE, S. 45°43' E., 471.24 feet to the angle point between sections 21 and 22, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, N. 00°44' W., along the line between sections 21 and 22, 365.40 feet to the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, upstream along said mark in section 21;

THENCE, upstream along aforesaid mark, N. 45°52' W., 163.02 feet;

THENCE, N. 53°55' W., 161.04 feet to the angle point between sections 16 and 21, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, N. 89°55' W., along line between sections 16 and 21, 545.16 feet to the **POINT OF BEGINNING**, containing +/- 3.65 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566


DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED





EXHIBIT "A"

-BASIS OF BEARING-
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 21, TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY, STATE OF OKLAHOMA.



LEGAL DESCRIPTION:

A parcel of land situated in section 21 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 21, and being more particularly described as follows:

BEGINNING at the angle point of sections 21 and 20, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 21;

THENCE, downstream along aforesaid mark, S. 58°14' E., 61.38 feet;

THENCE, N. 84°24' E., 79.86 feet;

THENCE, N. 66°56' E., 71.94 feet;

THENCE, N. 32°54' E., 119.46 feet;

THENCE, N. 55°53' W., 320.10 feet to the angle point of sections 20 and 21, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, S. 00°31' E., along the line between section 20 and 21, 110.616 feet to the 1897 meander corner of sections 20 and 21;



THENCE, S. 00°31' E., along the line between sections 20 and 21, 172.92 feet to the **POINT OF BEGINNING**, containing +/- 1.18 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



LOCATION MAP

SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND

These standard symbols may be found in the drawing.

- CALCULATED AREA LIMITS
- ▲ CALCULATED CORNER



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 21
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

- SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
- NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
- CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
- THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
- PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
- THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION
FIELD WORK PERFORMED: NONE
DATE OF LAST SITE VISIT: 3-30-21
EXHIBIT COMPLETED: 3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 21, TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

LEGAL DESCRIPTION:

A parcel of land situated in section 21 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 21, and being more particularly described as follows:

BEGINNING at the angle point of sections 21 and 20, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 21;

THENCE, downstream along aforesaid mark, S. 58°14' E., 61.38 feet;

THENCE, N. 84°24' E., 79.86 feet;

THENCE, N. 66°56' E., 71.94 feet;

THENCE, N. 32°54' E., 119.46 feet;

THENCE, N. 55°53' W., 320.10 feet to the angle point of sections 20 and 21, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, S. 00°31' E., along the line between section 20 and 21, 110.616 feet to the 1897 meander corner of sections 20 and 21;

THENCE, S. 00°31' E., along the line between sections 20 and 21, 172.92 feet to the **POINT OF BEGINNING**, containing +/- 1.18 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



LEGAL DESCRIPTION:

A parcel of land situated in section 21 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 21, and being more particularly described as follows:

BEGINNING at the angle point of sections 20 and 21., at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 21;

THENCE, downstream along aforesaid mark, N. 08°07' E., 146.52 feet;

THENCE, N.23°52' E., 285.78 feet;

THENCE, N.54°36' E., 282.48 feet;

THENCE, N.38°24' E., 188.76 feet;

THENCE, N.27°28' W., 29.70 feet;

THENCE, N.21°52' E., 137.28 feet;

THENCE, N. 85°22' E., 113.52 feet;

THENCE, N. 66°32' E., 136.62 feet;

THENCE, S. 30°51' E., 52.80 feet;

THENCE, S. 36°35' W., 217.80 feet;

THENCE, S. 13°22' E., 61.38 feet;

THENCE, S. 37°47' W., 85.14 feet;

THENCE, S. 03°54' W., 160.38 feet;

THENCE, S. 59°37' W., 53.46 feet;

THENCE, N. 78°33' W., 61.38 feet;

THENCE, S. 47°34' W., 151.14 feet;

THENCE, S. 46°21' E., 37.62 feet;

THENCE, N. 54°48' E., 153.12 feet;

THENCE, S. 54°18' E., 66.00 feet;

THENCE, N. 28°23' E., 625.68 feet;

THENCE, N. 56°45' E., 645.48 feet;

THENCE, N. 80°47' E., 192.72 feet;

THENCE, N. 31°05' E., 1.32 feet;

THENCE, N. 78°31' E., 120.78 feet;

THENCE, S. 86°50' E., 265.32 feet;

THENCE, S. 66°50' E., 155.10 feet;

THENCE, S. 48°32' E., 106.26 feet;

THENCE, S. 31°57' E., 130.02 feet;

THENCE, S. 63°35' E., 121.44 feet;

THENCE, N. 80°38' E., 128.04 feet;

THENCE, N. 44°02' E., 126.06 feet;

THENCE, N. 71°18' E., 144.54 feet;

THENCE, S. 67°36' E., 93.06 feet;

THENCE, N. 57°16' E., 69.96 feet;

THENCE, N. 74°07' E., 224.40 feet;

THENCE, S. 81°00' E., 246.84 feet;

THENCE, N. 73°35' E., 95.04 feet;

THENCE, N. 53°29' E., 128.04 feet;

THENCE, N. 68°20' E., 166.32 feet to the angle point between sections 16 and 21, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, N.89°55' W., along the line between sections 16 and 21, 2840.64 feet to the angle point between sections 16 and 21, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, upstream along said mark in section 21;

THENCE, upstream along aforesaid mark, S. 65°41' W., 26.40 feet;

THENCE, S. 58°56' W., 885.72 feet;

THENCE, S. 63°24' W., 106.92 feet to the angle point between sections 20 and 21 at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute;

THENCE, S. 00°31' E., along the line between sections 20 and 21, 819.72 feet to the **POINT OF BEGINNING**, containing +/- 21.39 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed of the Cherokee Chute areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr.
DAVID L. PAGE, JR. P.L.S. #1566

3-30-21

DATE SIGNED



EXHIBIT "A"

-BASIS OF BEARING-
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 16, TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 16 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 16, and being more particularly described as follows:

BEGINNING at the angle point of sections 16 and 21, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, upstream along said mark in section 16;

THENCE, upstream along aforesaid mark, N.53°55' W., 312.18 feet;

THENCE, N. 70°06' W., 621.72 feet;

THENCE, N. 80°22' W., 668.58 feet;

THENCE, N. 87°56' W., 791.34 feet;

THENCE, S. 52°31' W., 137.94 feet;

THENCE, S. 89°06' W., 87.12 feet;

THENCE, N. 43°27' W., 94.38 feet;

THENCE, S. 75°45' W., 149.16 feet;

THENCE, S. 78°26' W., 242.22 feet;

THENCE, S. 83°12' W., 244.20 feet;

THENCE, S. 74°14' W., 298.32 feet;

THENCE, S. 65°41' W., 772.86 feet to the angle point between sections 16 and 21, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute;

THENCE, S. 89°55' E., along the line between sections 16 and 21, 2840.64 feet to the angle point of sections 16 and 21 at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, downstream along said mark;

THENCE, downstream along aforesaid mark, N. 68°20' E., 64.68 feet;

THENCE, N. 83°55' E., 126.72 feet;

THENCE, N. 82°32' E., 258.06 feet;

THENCE, S. 83°15' E., 221.76 feet;

THENCE, S. 68°15' E., 124.08 feet to the angle point of sections 16 and 21 at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;



THENCE, S. 89°55' E., along the line between sections 16 and 21, 545.16 feet to the POINT OF BEGINNING, containing +/- 34.10 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



LOCATION MAP



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 16
TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY

GENERAL NOTES

- SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
- NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
- CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
- THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
- PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
- THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 16, TOWNSHIP 10 NORTH, RANGE 26 EAST
SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND

These standard symbols may be found in the drawing.

- CALCULATED AREA LIMITS
- CALCULATED CORNER



LEGAL DESCRIPTION:

A parcel of land situated in section 16 of township 10 north, range 26 east, Indian Meridian, Sequoyah County, Oklahoma, being the wet bed acres of the Cherokee Chute in section 16, and being more particularly described as follows:

BEGINNING at the angle point of sections 16 and 21, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, upstream along said mark in section 16;

THENCE, upstream along aforesaid mark, N.53°55' W., 312.18 feet;

THENCE, N. 70°06' W., 621.72 feet;

THENCE, N. 80°22' W., 668.58 feet;

THENCE, N. 87°56' W., 791.34 feet;

THENCE, S. 52°31' W., 137.94 feet;

THENCE, S. 89°06' W., 87.12 feet;

THENCE, N. 43°27' W., 94.38 feet;

THENCE, S. 75°45' W., 149.16 feet;

THENCE, S. 78°26' W., 242.22 feet;

THENCE, S. 83°12' W., 244.20 feet;

THENCE, S. 74°14' W., 298.32 feet;

THENCE, S. 65°41' W., 772.86 feet to the angle point between sections 16 and 21, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute;

THENCE, S. 89°55' E., along the line between sections 16 and 21, 2840.64 feet to the angle point of sections 16 and 21 at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute, downstream along said mark;

THENCE, downstream along aforesaid mark, N. 68°20' E., 64.68 feet;

THENCE, N. 83°55' E., 126.72 feet;

THENCE, N. 82°32' E., 258.06 feet;

THENCE, S. 83°15' E., 221.76 feet;

THENCE, S. 68°15' E., 124.08 feet to the angle point of sections 16 and 21 at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute;

THENCE, S. 89°55' E., along the line between sections 16 and 21, 545.16 feet to the POINT OF BEGINNING, containing +/- 34.10 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas of the Cherokee Chute as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.


David L. Page, Jr. (3/30/21)
LS #1566

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566
3-30-21
DATE SIGNED



EXHIBIT "A"

~BASIS OF BEARING~
As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.



SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND

These standard symbols may be found in the drawing.

-  CALCULATED AREA LIMITS
-  CALCULATED CORNER



LEGAL DESCRIPTION EXHIBIT

SECTION 20, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 20 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 20, and being more particularly described as follows:

BEGINNING at the angle point of sections 19 and 20., at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 20;

THENCE, downstream along aforesaid mark, S. 89°01' E., 235.62 feet;

THENCE, N. 79°19' E., 661.32 feet;

THENCE, S. 81°43' E., 405.24 feet;

THENCE, S. 80°54' E., 279.84 feet;

THENCE, S. 79°20' E., 66.00 feet;

THENCE, S. 15°57' W., 60.06 feet;

THENCE, S. 33°28' E., 48.18 feet;

THENCE, S. 59°11' E., 56.10 feet;

THENCE, S. 63°49' E., 547.14 feet;

THENCE, S. 80°50' E., 190.08 feet;

THENCE, S. 63°19' E., 143.22 feet;

THENCE, N. 68°36' E., 127.38 feet;

THENCE, S. 68°13' E., 370.92 feet;

THENCE, S. 20°19' W., 68.64 feet;

THENCE, S. 14°16' E., 108.24 feet;

THENCE, S. 34°26' W., 116.82 feet;

THENCE, S. 56°05' E., 204.60 feet;

THENCE, S. 68°28' E., 172.26 feet;

THENCE, S. 43°30' E., 27.72 feet;

THENCE, S. 30°58' E., 27.72 feet;

THENCE, S. 23°14' E., 91.08 feet;

THENCE, S. 51°45' E., 118.14 feet;

THENCE, N. 66°02' E., 333.96 feet;

THENCE, S. 55°16' E., 76.56 feet;

THENCE, S. 39°51' E., 74.58 feet;

THENCE, S. 50°44' E., 179.52 feet;

THENCE, S. 43°48' E., 83.82 feet;

THENCE, S. 25°21' E., 209.22 feet;

THENCE, S. 20°02' E., 63.36 feet;

THENCE, S. 60°38' E., 350.46 feet;

THENCE, S. 65°38' E., 109.56 feet;

THENCE, S. 44°58' E., 53.46 feet;

THENCE, S. 00°36' W., 50.16 feet;

THENCE, S. 28°32' W., 23.10 feet;

THENCE, S. 20°52' W., 13.20 feet;

THENCE, S. 08°39' E., 36.96 feet;

THENCE, S. 29°12' E., 102.96 feet;



THENCE, S. 48°24' E., 44.22 feet;

THENCE, S. 38°26' E., 65.34 feet;

THENCE, S. 85°28' E., 73.92 feet;

THENCE, S. 85°22' E., 41.58 feet;

THENCE, S. 86°21' E., 33.66 feet;



LOCATION MAP



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 20
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 20, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

LEGAL DESCRIPTION:

A parcel of land situated in section 20 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 20, and being more particularly described as follows:

BEGINNING at the angle point of sections 19 and 20., at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 20;

THENCE, downstream along aforesaid mark, S. 89°01' E., 235.62 feet;

THENCE, N. 79°19' E., 661.32 feet;

THENCE, S. 81°43' E., 405.24 feet;

THENCE, S. 80°54' E., 279.84 feet;

THENCE, S. 79°20' E., 66.00 feet;

THENCE, S. 15°57' W., 60.06 feet;

THENCE, S. 33°28' E., 48.18 feet;

THENCE, S. 59°11' E., 56.10 feet;

THENCE, S. 63°49' E., 547.14 feet;

THENCE, S. 80°50' E., 190.08 feet;

THENCE, S. 63°19' E., 143.22 feet;

THENCE, N. 68°36' E., 127.38 feet;

THENCE, S. 68°13' E., 370.92 feet;

THENCE, S. 20°19' W., 68.64 feet;

THENCE, S. 14°16' E., 108.24 feet;

THENCE, S. 34°26' W., 116.82 feet;

THENCE, S. 56°05' E., 204.60 feet;

THENCE, S. 68°28' E., 172.26 feet;

THENCE, S. 43°30' E., 27.72 feet;

THENCE, S. 30°58' E., 27.72 feet;

THENCE, S. 23°14' E., 91.08 feet;

THENCE, S. 51°45' E., 118.14 feet;

THENCE, N. 66°02' E., 333.96 feet;

THENCE, S. 55°16' E., 76.56 feet;

THENCE, S. 39°51' E., 74.58 feet;

THENCE, S. 50°44' E., 179.52 feet;

THENCE, S. 43°48' E., 83.82 feet;

THENCE, S. 25°21' E., 209.22 feet;

THENCE, S. 20°02' E., 63.36 feet;

THENCE, S. 60°38' E., 350.46 feet;

THENCE, S. 65°38' E., 109.56 feet;

THENCE, S. 44°58' E., 53.46 feet;

THENCE, S. 00°36' W., 50.16 feet;

THENCE, S. 28°32' W., 23.10 feet;

THENCE, S. 20°52' W., 13.20 feet;

THENCE, S. 08°39' E., 36.96 feet;

THENCE, S. 29°12' E., 102.96 feet;

THENCE, S. 48°24' E., 44.22 feet;

THENCE, S. 38°26' E., 65.34 feet;

THENCE, S. 85°28' E., 73.92 feet;

THENCE, S. 85°22' E., 41.58 feet;

THENCE, S. 86°21' E., 33.66 feet;

THENCE, S. 81°15' E., 33.00 feet;

THENCE, S. 73°59' E., 32.34 feet;

THENCE, S. 60°02' E., 29.04 feet;

THENCE, S. 46°47' E., 31.68 feet;

THENCE, S. 32°19' E., 17.16 feet;

THENCE, S. 21°13' E., 12.54 feet;

THENCE, S. 30°38' W., 31.68 feet;

THENCE, S. 15°39' W., 12.54 feet;

THENCE, S. 10°00' E., 11.22 feet;

THENCE, S. 39°35' E., 38.28 feet;

THENCE, S. 21°36' E., 44.22 feet;

THENCE, S. 38°09' E., 29.70 feet;

THENCE, S. 81°24' E., 13.86 feet;

LEGAL DESCRIPTION EXHIBIT

SECTION 20, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

THENCE, S. 81°15' E., 33.00 feet;
THENCE, S. 73°59' E., 32.34 feet;
THENCE, S. 60°02' E., 29.04 feet;
THENCE, S. 46°47' E., 31.68 feet;
THENCE, S. 32°19' E., 17.16 feet;
THENCE, S. 21°13' E., 12.54 feet;
THENCE, S. 30°38' W., 31.68 feet;
THENCE, S. 15°39' W., 12.54 feet;
THENCE, S. 10°00' E., 11.22 feet;
THENCE, S. 39°35' E., 38.28 feet;
THENCE, S. 21°36' E., 44.22 feet;
THENCE, S. 38°09' E., 29.70 feet;
THENCE, S. 81°24' E., 13.86 feet;
THENCE, N. 71°57' E., 36.96 feet;
THENCE, N. 86°47' E., 17.82 feet;
THENCE, S. 71°05' E., 7.92 feet;
THENCE, S. 30°10' E., 42.90 feet;
THENCE, S. 51°16' E., 60.72 feet;
THENCE, S. 37°36' E., 236.28 feet;
THENCE, S. 44°27' E., 30.36 feet to the angle point between sections 20 and 21 at the digitized 2003 right bank ordinary high-water mark in section 20;
THENCE, N. 0°31' W., along the line between sections 20 and 21, 2019.6 feet to the angle point of sections 20 and 21, at the digitized 2003 left bank ordinary high-water mark in section 20, upstream along said mark in section 20;
THENCE, upstream along aforesaid mark, N. 53°12' W., 188.76 feet;
THENCE, N. 65°23' W., 303.60 feet;
THENCE, N. 47°48' W., 225.06 feet;
THENCE, N. 08°58' E., 85.14 feet;
THENCE, N. 37°38' W., 84.48 feet to the angle point at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 20;
THENCE, downstream along aforesaid mark, N. 60°03' E., 238.92 feet;
THENCE, N. 73°46' E., 124.08 feet;
THENCE, N. 59°44' E., 122.10 feet;
THENCE, N. 30°04' E., 232.32 feet;
THENCE, S. 72°42' E., 42.24 feet;
THENCE, S. 10°29' E., 80.52 feet;
THENCE, S. 58°14' E., 25.41 feet to the angle point between sections 20 and 21, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute;
THENCE, N. 00°31' W., along the line between sections 20 and 21, 172.92 feet to the 1897 Meander Corner between sections 20 and 21;
THENCE, N. 00°31' W., along the line between sections 20 and 21, 110.62 feet to the angle point between sections 20 and 21, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute in section 20, downstream along said mark in section 20;
THENCE, downstream along aforesaid mark, N. 55°53' W., 4.026 feet;
THENCE, N. 08°07' E., 21.978 feet to the angle point between sections 20 and 21, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute in section 20;
THENCE, N. 00°31' W., along the line between sections 20 and 21, 819.72 feet to the angle point between sections 20 and 21, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute in section 20, upstream along said mark in section 20;
THENCE, upstream along aforesaid mark, S. 63°24' W., 69.30 feet;
THENCE, S. 74°40' W., 480.48 feet;
THENCE, S. 64°46' W., 759.00 feet;
THENCE, S. 22°33' E., 378.84 feet;
THENCE, S. 09°16' E., 134.64 feet to the angle point at the digitized 2003 of the left bank ordinary high-water mark of the Arkansas River, upstream along said mark;
THENCE, upstream along aforesaid mark, N. 56°56' W., 128.70 feet;
THENCE, N. 83°58' W., 149.16 feet;
THENCE, S. 12°13' W., 123.42 feet;
THENCE, N. 71°43' W., 328.68 feet;
THENCE, N. 37°12' W., 279.84 feet;
THENCE, N. 80°28' W., 165.66 feet;
THENCE, S. 41°31' W., 91.08 feet;
THENCE, N. 67°18' W., 225.72 feet;
THENCE, N. 74°32' W., 252.78 feet;
THENCE, S. 75°19' W., 135.30 feet;
THENCE, N. 60°51' W., 132.66 feet;
THENCE, N. 60°51' W., 332.64 feet;
THENCE, S. 87°44' W., 375.54 feet;
THENCE, S. 81°05' W., 196.68 feet;
THENCE, N. 52°50' W., 258.06 feet;
THENCE, N. 26°12' W., 348.48 feet;
THENCE, N. 40°12' W., 247.50 feet;
THENCE, N. 57°58' W., 591.36 feet;
THENCE, N. 73°15' W., 31.68 feet to the angle point between sections 17 and 20 at the digitized 2003 of the left bank ordinary high-water mark;
THENCE, S. 88°35' W., along the line between sections 17 and 20, 621.06 feet to the corner of sections 17, 18, 19 and 20;
THENCE, S. 00°19' E., along line between sections 19 and 20, 1917.96 feet to the **POINT OF BEGINNING**, containing +/- 222.76 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page Jr.
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION

SECTION 20
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.

NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT

CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP

THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL

PORTIONS OF THIS PLAT ARE IN COLOR, PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING

THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION

FIELD WORK PERFORMED: NONE
DATE OF LAST SITE VISIT: NONE
EXHIBIT COMPLETED: 3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 20, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF
OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

~BASIS OF BEARING~

As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

THENCE, N. 71°57' E., 36.96 feet;

THENCE, N. 86°47' E., 17.82 feet;

THENCE, S. 71°05' E., 7.92 feet;

THENCE, S. 30°10' E., 42.90 feet;

THENCE, S. 51°16' E., 60.72 feet;

THENCE, S. 37°36' E., 236.28 feet;

THENCE, S. 44°27' E., 30.36 feet to the angle point between sections 20 and 21 at the digitized 2003 right bank ordinary high-water mark in section 20;

THENCE, N. 0°31' W., along the line between sections 20 and 21, 2019.6 feet to the angle point of sections 20 and 21, at the digitized 2003 left bank ordinary high-water mark in section 20, upstream along said mark in section 20;

THENCE, upstream along aforesaid mark, N. 53°12' W., 188.76 feet;

THENCE, N. 65°23' W., 303.60 feet;

THENCE, N. 47°48' W., 225.06 feet;

THENCE, N. 08°58' E., 85.14 feet;

THENCE, N. 37°38' W., 84.48 feet to the angle point at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute, downstream along said mark in section 20;

THENCE, downstream along aforesaid mark, N. 60°03' E., 238.92 feet;

THENCE, N. 73°46' E., 124.08 feet;

THENCE, N. 59°44' E., 122.10 feet;

THENCE, N. 30°04' E., 232.32 feet;

THENCE, S. 72°42' E., 42.24 feet;

THENCE, S. 10°29' E., 80.52 feet;

THENCE, S. 58°14' E., 25.41 feet to the angle point between sections 20 and 21, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute;

THENCE, N. 00°31' W., along the line between sections 20 and 21, 172.92 feet to the 1897 Meander Corner between sections 20 and 21;

THENCE, N. 00°31' W., along the line between sections 20 and 21, 110.62 feet to the angle point between sections 20 and 21, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute in section 20, downstream along said mark in section 20;

THENCE, downstream along aforesaid mark, N. 55°53' W., 4.026 feet;

THENCE, N. 08°07' E., 21.978 feet to the angle point between sections 20 and 21, at the digitized 2003 right bank ordinary high-water mark of the Cherokee Chute in section 20;

THENCE, N. 00°31' W., along the line between sections 20 and 21, 819.72 feet to the angle point between sections 20 and 21, at the digitized 2003 left bank ordinary high-water mark of the Cherokee Chute in section 20, upstream along said mark in section 20;

THENCE, upstream along aforesaid mark, S. 63°24' W., 69.30 feet;

THENCE, S. 74°40' W., 480.48 feet;

THENCE, S. 64°46' W., 759.00 feet;

THENCE, S. 22°33' E., 378.84 feet;

THENCE, S. 09°16' E., 134.64 feet to the angle point at the digitized 2003 of the left bank ordinary high-water mark of the Arkansas River, upstream along said mark;

THENCE, upstream along aforesaid mark, N. 56°56' W., 128.70 feet;

THENCE, N. 83°58' W., 149.16 feet;

THENCE, S. 12°13' W., 123.42 feet;

THENCE, N. 71°43' W., 328.68 feet;

THENCE, N. 37°12' W., 279.84 feet;

THENCE, N. 80°28' W., 165.66 feet;

THENCE, S. 41°31' W., 91.08 feet;

THENCE, N. 67°18' W., 225.72 feet;

THENCE, N. 74°32' W., 252.78 feet;

THENCE, S. 75°19' W., 135.30 feet;

THENCE, N. 60°51' W., 132.66 feet;

THENCE, N. 60°51' W., 332.64 feet;

THENCE, S. 87°44' W., 375.54 feet;

THENCE, S. 81°05' W., 196.68 feet;

THENCE, N. 52°50' W., 258.06 feet;

THENCE, N. 26°12' W., 348.48 feet;

THENCE, N. 40°12' W., 247.50 feet;

THENCE, N. 57°58' W., 591.36 feet;

David L. Page
 DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
 DATE SIGNED



THENCE, N. 73°15' W., 31.68 feet to the angle point between sections 17 and 20 at the digitized 2003 of the left bank ordinary high-water mark;

THENCE, S. 88°35' W., along the line between sections 17 and 20, 621.06 feet to the corner of sections 17, 18, 19 and 20;

THENCE, S. 00°19' E., along line between sections 19 and 20, 1917.96 feet to the **POINT OF BEGINNING**, containing +/- 222.76 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

EXHIBIT "A"

-BASIS OF BEARING-
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.

LEGAL DESCRIPTION EXHIBIT

SECTION 17, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 17
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
PORTIONS OF THIS PLAT ARE IN COLOR, PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE


SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 17, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21



at 2003 Left Bank OHWM, thence upstream in section 17;
N.73°15'W., 9.85
AP, sections 17 and 18,
S. 0°19'E., 3.07
Cor. of S17-S18-S19-S20
N.88°35'E., 9.41
AP, sections 17 and 20, at
2003 Left Bank OHWM, place
of beginning, containing
±1.44 Acres
Claim Area

+/- 1.44 Acres

Continued on Sheet No. 8

Sec. 19

Continued Sheet

LEGEND

These standard symbols may be found in the drawing.

- CALCULATED AREA LIMITS
- ▲ CALCULATED CORNER



SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGAL DESCRIPTION:

A parcel of land situated in section 17 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 17, and being more particularly described as follows:

BEGINNING at the angle point of sections 17 and 20., at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 17;

THENCE, upstream along aforesaid mark, N. 73°15' W., 650.10 feet to the angle point between sections 17 and 18;

THENCE, S. 00°19' E., along the line between sections 17 and 18, 202.62 feet to the corner of sections 17, 18, 19 and 20;



THENCE, N. 88°35' E., along the line between sections 17 and 22, 621.06 feet to the **POINT OF BEGINNING**, containing +/-1.44 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 8, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 8, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



LOCATION MAP

LEGAL DESCRIPTION:

A parcel of land situated in section 17 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 17, and being more particularly described as follows:

BEGINNING at the angle point of sections 17 and 20., at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 17;

THENCE, upstream along aforesaid mark, N. 73°15' W., 650.10 feet to the angle point between sections 17 and 18;

THENCE, S. 00°19' E., along the line between sections 17 and 18, 202.62 feet to the corner of sections 17, 18, 19 and 20;

THENCE, N. 88°35' E., along the line between sections 17 and 22, 621.06 feet to the **POINT OF BEGINNING**, containing +/-1.44 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 8, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 8, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



EXHIBIT "A"

-BASIS OF BEARING-
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.



SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND

These standard symbols may be found in the drawing.

- CALCULATED AREA LIMITS
- ▲ CALCULATED CORNER



LEGAL DESCRIPTION EXHIBIT

SECTION 18, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 18 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 18, and being more particularly described as follows:

BEGINNING at the angle point of sections 17 and 18, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 18;

THENCE, upstream along aforesaid mark, N. 73°15' W., 29.70 feet;

THENCE, N. 73°15' W., 132.00 feet;

THENCE, N. 82°45' W., 617.76 feet;

THENCE, N. 19°14' W., 127.38 feet;

THENCE, N. 88°23' W., 567.60 feet;

THENCE, S. 53°19' W., 64.68 feet;

THENCE, S. 53°05' W., 89.10 feet;

THENCE, N. 84°40' W., 405.90 feet;

THENCE, S. 86°53' W., 90.42 feet;

THENCE, S. 72°46' W., 567.60 feet;

THENCE, S. 54°33' W., 162.36 feet;

THENCE, S. 76°05' W., 106.92 feet;

THENCE, S. 67°10' W., 225.06 feet to the angle point between sections 18 and 19 at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 89°27' E., along the line between sections 19 and 20, 2981.22 feet to the corner of sections 17, 18, 19 and 20;


THENCE, N. 0°19' W., along line between sections 17 and 18, 202.62 feet to the **POINT OF BEGINNING**, containing +/- 21.02 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



LOCATION MAP



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 18
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

- SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
- NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
- CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
- THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
- PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
- THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE

SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 18, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21

LEGAL DESCRIPTION:

A parcel of land situated in section 18 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 18, and being more particularly described as follows:

BEGINNING at the angle point of sections 17 and 18, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 18;

THENCE, upstream along aforesaid mark, N. 73°15' W., 29.70 feet;

THENCE, N. 73°15' W., 132.00 feet;

THENCE, N. 82°45' W., 617.76 feet;

THENCE, N. 19°14' W., 127.38 feet;

THENCE, N. 88°23' W., 567.60 feet;

THENCE, S. 53°19' W., 64.68 feet;

THENCE, S. 53°05' W., 89.10 feet;

THENCE, N. 84°40' W., 405.90 feet;

THENCE, S. 86°53' W., 90.42 feet;

THENCE, S. 72°46' W., 567.60 feet;

THENCE, S. 54°33' W., 162.36 feet;

THENCE, S. 76°05' W., 106.92 feet;

THENCE, S. 67°10' W., 225.06 feet to the angle point between sections 18 and 19 at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 89°27' E., along the line between sections 19 and 20, 2981.22 feet to the corner of sections 17, 18, 19 and 20;

THENCE, N. 0°19' W., along line between sections 17 and 18, 202.62 feet to the **POINT OF BEGINNING**, containing +/- 21.02 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566


David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



EXHIBIT "A"

-BASIS OF BEARING-
As shown on the official BLM plat, approved
October 2, 2008, referenced to the true meridian.



SURVEYOR'S SPECIAL NOTE:

1. MEANING AND INTENDING TO DESCRIBE THE PARCEL DERIVED FROM THE OFFICIAL BUREAU OF LAND MANAGEMENT PLATS AND FIELDNOTES OF THE DEPENDENT RESURVEY AND SURVEY OF THE ARKANSAS RIVER BED APPROVED OCTOBER 2, 2008. THE PURPOSE OF THIS DESCRIPTION IS TO DESCRIBE THE WET BED AREAS AS SHOWN ON THE PLAT. THIS IS EXCLUSIVELY FOR USE BY THE ARKANSAS RIVERBED AUTHORITY AND THE CHOCTAW, CHICKASAW AND CHEROKEE NATIONS OF OKLAHOMA. ACCURACY AND ACREAGES DEFINED BY THE ORIGINAL SURVEY DOCUMENTATION.

2. THIS IS NOT A BOUNDARY SURVEY AND IS NOT INTENDED TO BE USED AS A BOUNDARY SURVEY. NO FIELD WORK HAS BEEN DONE AND NO MONUMENTS HAVE BEEN VERIFIED.

LEGEND

These standard symbols may be found in the drawing.

- CALCULATED AREA LIMITS
- ▲ CALCULATED CORNER



LEGAL DESCRIPTION EXHIBIT

SECTION 19, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

LEGAL DESCRIPTION:

A parcel of land situated in section 19 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 19, and being more particularly described as follows:

BEGINNING at the angle point of sections 18 and 19, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 19;

THENCE, upstream along aforesaid mark, S. 67°10' W., 133.32 feet;

THENCE, S. 46°55' W., 173.58 feet;

THENCE, S. 43°17' W., 261.36 feet;

THENCE, S. 31°00' W., 140.58 feet;

THENCE, S. 23°23' W., 355.08 feet;

THENCE, S. 38°27' W., 194.04 feet;

THENCE, S. 60°23' W., 209.88 feet;

THENCE, S. 74°41' W., 108.24 feet;

THENCE, S. 74°41' W., 326.04 feet;

THENCE, S. 53°27' W., 217.80 feet;

THENCE, S. 53°27' W., 423.06 feet;

THENCE, S. 55°07' W., 587.40 feet to the angle point between sections 19 and 24 at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°07' E., along the line between section 19 and 24, 3382.50 feet to the corner of sections 19, 24, 25 and 30;

THENCE, S. 88°57' E., along the line between sections 19 and 30, 1170.84 feet to the 1897 Meander Corner between sections 19 and 30;

THENCE, S. 89°49' E., 25.74 feet to the angle point between sections 19 and 30, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 19;

THENCE, downstream along aforesaid mark, N. 51°09' W., 3.30 feet;

THENCE, N. 51°09' W., 97.68 feet;

THENCE, N. 40°14' W., 545.16 feet;

THENCE, N. 19°46' E., 333.96 feet;

THENCE, N. 33°07' E., 242.22 feet;

THENCE, N. 53°00' E., 370.92 feet;

THENCE, N. 34°13' E., 108.24 feet;

THENCE, N. 31°29' E., 405.24 feet;

THENCE, N. 40°32' E., 584.76 feet;

THENCE, N. 54°24' E., 891.00 feet;

THENCE, N. 54°24' E., 51.48 feet;

THENCE, N. 68°12' E., 1159.62 feet;

THENCE, N. 72°16' E., 190.74 feet;

THENCE, N. 72°16' E., 524.70 feet;

THENCE, N. 85°20' E., 705.54 feet;

THENCE, S. 89°01' E., 133.98 feet;

THENCE, S. 89°01' E., 24.42 feet to the angle point between sections 19 and 20, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°19' W., along line between sections 19 and 20, 1917.96 feet;

THENCE, N. 89°27' W., along line between sections 19 and 30, 2981.22 feet to the **POINT OF BEGINNING**, containing +/- 329.00 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566



124 SOUTH 8th AVENUE
DURANT, OKLAHOMA 74701
(580) 920-9101 OR (580) 239-0176
FAX (580) 920-9121

DAVID L. PAGE JR. © 2021
PROFESSIONAL LAND SURVEYOR #1566
C.A. # 1991, EXPIRES 6-30-2021

Surveyor's Seal



3-30-21
DATE SIGNED

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

LOCATION
SECTION 19
TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY

GENERAL NOTES

SUBJECT TO EASEMENTS AND/OR RIGHTS-OF-WAY, EITHER RECORDED, OR IMPLIED, THEREOF.
NO UTILITIES OF ANY KIND HAVE BEEN LOCATED EXCEPT THOSE SHOWN ON THE ABOVE PLAT
CONTROLLING CORNERS FOR THIS LEGAL DESCRIPTION ARE AS INDICATED ON THE LOCATION MAP
THIS IS NOT A VALID LEGAL DESCRIPTION WITHOUT THE SURVEYORS ORIGINAL SIGNATURE AND ORIGINAL SEAL
PORTIONS OF THIS PLAT ARE IN COLOR. PHOTO AND ELECTRONIC COPIES OF THIS PLAT MAKE IT INVALID AND MAY ALTER ITS MEANING
THIS EXHIBIT AND LEGAL DESCRIPTION MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF LICENSURE FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

NO.	REVISION/ISSUE	DATE


SURVEY INFORMATION	
FIELD WORK PERFORMED:	NONE
DATE OF LAST SITE VISIT:	NONE
EXHIBIT COMPLETED:	3-30-21

Project Name and Address
ARKANSAS RIVER EXHIBIT
SECTION 19, TOWNSHIP 10 NORTH, RANGE 26 EAST
LEFLORE AND SEQUOYAH COUNTY, STATE OF OKLAHOMA.

SCALE 1" = 1000'

SHEET NO. 1 OF 1

DATE 3-30-21



LOCATION MAP

LEGAL DESCRIPTION:

A parcel of land situated in section 19 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 19, and being more particularly described as follows:

BEGINNING at the angle point of sections 18 and 19, at the digitized 2003 left bank ordinary high-water mark, upstream along said mark in section 19;

THENCE, upstream along aforesaid mark, S. 67°10' W., 133.32 feet;

THENCE, S. 46°55' W., 173.58 feet;

THENCE, S. 43°17' W., 261.36 feet;

THENCE, S. 31°00' W., 140.58 feet;

THENCE, S. 23°23' W., 355.08 feet;

THENCE, S. 38°27' W., 194.04 feet;

THENCE, S. 60°23' W., 209.88 feet;

THENCE, S. 74°41' W., 108.24 feet;

THENCE, S. 74°41' W., 326.04 feet;

THENCE, S. 53°27' W., 217.80 feet;

THENCE, S. 53°27' W., 423.06 feet;

THENCE, S. 55°07' W., 587.40 feet to the angle point between sections 19 and 24 at the digitized 2003 left bank ordinary high-water mark;

THENCE, S. 00°07' E., along the line between section 19 and 24, 3382.50 feet to the corner of sections 19, 24, 25 and 30;

THENCE, S. 88°57' E., along the line between sections 19 and 30, 1170.84 feet to the 1897 Meander Corner between sections 19 and 30;

THENCE, S. 89°49' E., 25.74 feet to the angle point between sections 19 and 30, at the digitized 2003 right bank ordinary high-water mark, downstream along said mark in section 19;

THENCE, downstream along aforesaid mark, N. 51°09' W., 3.30 feet;

THENCE, N. 51°09' W., 97.68 feet;

THENCE, N. 40°14' W., 545.16 feet;

THENCE, N. 19°46' E., 333.96 feet;

THENCE, N. 33°07' E., 242.22 feet;

THENCE, N. 53°00' E., 370.92 feet;

THENCE, N. 34°13' E., 108.24 feet;

THENCE, N. 31°29' E., 405.24 feet;

THENCE, N. 40°32' E., 584.76 feet;

THENCE, N. 54°24' E., 891.00 feet;

THENCE, N. 54°24' E., 51.48 feet;

THENCE, N. 68°12' E., 1159.62 feet;

THENCE, N. 72°16' E., 190.74 feet;

THENCE, N. 72°16' E., 524.70 feet;

THENCE, N. 85°20' E., 705.54 feet;

THENCE, S. 89°01' E., 133.98 feet;

THENCE, S. 89°01' E., 24.42 feet to the angle point between sections 19 and 20, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°19' W., along line between sections 19 and 20, 1917.96 feet;

THENCE, N. 89°27' W., along line between sections 19 and 30, 2981.22 feet to the **POINT OF BEGINNING**, containing +/- 329.00 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page
DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED



LEGAL DESCRIPTION:

A parcel of land situated in section 30 of township 10 north, range 26 east, Indian Meridian, LeFlore and Sequoyah County, Oklahoma, being the wet bed acres of section 30, and being more particularly described as follows:

BEGINNING at the angle point of sections 19 and 30, at the digitized 2003 right bank ordinary high-water mark, upstream along said mark in section 30;

THENCE, upstream along aforesaid mark, S. 51°09' E., 145.20 feet;

THENCE, S. 66°48' E., 330.00 feet;

THENCE, S. 02°39' E., 405.24 feet;

THENCE, S. 10°08' W., 199.32 feet;

THENCE, S. 17°35' W., 234.96 feet;

THENCE, S. 22°51' W., 281.82 feet;

THENCE, S. 32°09' W., 194.70 feet;

THENCE, S. 32°09' W., 188.76 feet;

THENCE, S. 40°54' W., 533.28 feet;

THENCE, S. 48°16' W., 290.40 feet;

THENCE, S. 52°26' W., 166.98 feet;

THENCE, S. 61°10' W., 198.66 feet;

THENCE, S. 71°02' W., 353.76 feet to the angle point of sections 25 and 30, at the digitized 2003 right bank ordinary high-water mark;

THENCE, N. 00°07' W., along the line between sections 25 and 30, 2560.338 feet to the corner of sections 19, 24, 25 and 30;

THENCE, S. 88°57' E., along the line between sections 19 and 30, 1170.84 feet to the 1897 Meander Corner between sections 19 and 30;

THENCE, S. 89°49' E., along the line between sections 19 and 30, 25.74 feet to the **POINT OF BEGINNING**, containing +/- 71.73 acres.

BASIS OF BEARINGS: As shown on the official BLM plat, approved October 2, 2008, referenced to the true meridian.

Meaning and intending to describe the parcel derived from the Official Bureau of Land Management plats and field notes of the Dependent Resurvey and Survey of the Arkansas River Bed approved October 2, 2008. The purpose of this description is to describe the wet bed areas as shown on the plat. This is exclusively for use by the Arkansas Riverbed Authority and the Choctaw, Chickasaw and Cherokee Nations of Oklahoma. Accuracy and acreages defined by the original survey documentation.

Note: See Exhibit "A" enlargement of the official Bureau of Land Management Plat attached.

David L. Page, Jr. (3/30/21)
LS #1566


DAVID L. PAGE, JR. P.L.S. #1566

3-30-21
DATE SIGNED

